

•	•	
		•

L	Hits	Search Text	DB	Time stamp
Num		04/40 1 40 47 47 00 5 00 5 00 5	HCDAT.	2002/02/21
-	2421	24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	
			US-PGPUB	14:50
-	616	248/74.3.ccls.	USPAT;	2002/02/21
			US-PGPUB	14:50
-	737	292/318-322,325.ccls.	USPAT;	2002/02/21
			US-PGPUB	14:50
-	3513	24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
		248/74.3.ccis. 292/318-322,325.ccis.	US-PGPUB	14:05
-	305	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
		248/74.3.ccis. 292/318-322,325.ccis.) and	US-PGPUB	14:07
		(weak weaker strong stronger)		
-	572	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
		248/74.3.ccls. 292/318-322,325.ccls.) and	US-PGPUB	15:08
		(tensile strength stress)		
-	690	((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
		248/74.3.ccis. 292/318-322,325.ccis.) and	US-PGPUB	14:11
		(weak weaker strong stronger))		
		((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.		
		248/74.3.ccis. 292/318-322,325.ccis.) and		
		(tensile strength stress))		
_	5	5669111.URPN.	USPAT	2002/02/21
	•			14:26
1_	10	("D205659" "D205940" "3186047"	USPAT	2002/02/21
-		"3965538" "5267373" "5293669"	John	14:26
		"5317787" "5414904" "5440786"		14.25
		"5457853").PN.		
	5	("4532679" "4688302" "4910831"	USPAT	2002/02/21
-	3	, , , , , , , , , , , , , , , , , , , ,	USPAI	14:29
	44	"5088158" "5159728").PN. 5398383.URPN.	USPAT	2002/02/21
-	11	5396363.UKPN.	USPAI	14:30
		/!! 4074000!!	HEDAT	2002/02/21
•	9	("4071023" "4136148" "4227668"	USPAT	
		"4532679" "4752054" "4825156"		14:33
		"4909051" "4910831" "4942644").PN.		0000/00/04
-	8	("1959633" "2942314" "3033412"	USPAT	2002/02/21
		"3206086" "3483996" "3543355"		14:39
		"3636595" "4292749").PN.		0000100104
-	5	4837899.URPN.	USPAT	2002/02/21
				14:39
-	6	("3402435" "3466077" "3712655"	USPAT	2002/02/21
		"3717369" "3830538" "3881759").PN.		14:45
-	9	4183567.URPN.	USPAT	2002/02/21
				14:46
-	1311	24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USOCR	2002/02/21
				14:50
-	260	248/74.3.ccls.	USOCR	2002/02/21
		·		14:50
-	557	292/318-322,325.ccls.	USOCR	2002/02/21
				14:51
-	2059	24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USOCR	2002/02/21
		248/74.3.ccls. 292/318-322,325.ccls.		14:51

	227	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and	USOCR	2002/02/21 14:53
		(tensile strength stress)		
-	152	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccis.	USOCR	2002/02/21
		248/74.3.ccls. 292/318-322,325.ccls.) and		14:53
		(weak weaker strong stronger)		
-	318	((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USOCR	2002/02/21
		248/74.3.ccis. 292/318-322,325.ccis.) and		15:05
		(tensile strength stress))		
		((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.		
		248/74.3.ccis. 292/318-322,325.ccis.) and		
		(weak weaker strong stronger))		
-	138	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USOCR	2002/02/21
		248/74.3.ccls. 292/318-322,325.ccls.) and		15:05
		neck		
-	98	((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USOCR	2002/02/21
		248/74.3.ccis. 292/318-322,325.ccis.) and		15:07
		neck) not		
		(((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	ŀ	
		248/74.3.ccis. 292/318-322,325.ccis.) and		
		(tensile strength stress))		
		((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	1	
		248/74.3.ccls. 292/318-322,325.ccls.) and		
		(weak weaker strong stronger)))		
	199	(24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
•	133	248/74.3.ccls. 292/318-322,325.ccls.) and	US-PGPUB	15:07
		neck	03-76708	13.07
	118	((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.	USPAT;	2002/02/21
-	110	248/74,3.ccis. 292/318-322,325.ccis.) and	US-PGPUB	15:08
		ł .	U3-FGF0B	13.00
		(weak weaker strong stronger)) not		
		((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.		
		248/74.3.ccls. 292/318-322,325.ccls.) and	•	
	^=	(tensile strength stress))	IICDAT:	2002/02/24
•	97	((24/16pb,16r,17a,17ap,30.5r,30.5p.ccis.	USPAT;	2002/02/21
-		248/74.3.ccls. 292/318-322,325.ccls.) and	US-PGPUB	15:13
	1	neck) not		
		(((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.		
		248/74.3.ccls. 292/318-322,325.ccls.) and		
		(weak weaker strong stronger))		
		((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.		
		248/74.3.ccls. 292/318-322,325.ccls.) and		
		(tensile strength stress)))		0000/00/0
-	18	("3570497" "3712655" "3766608"	USPAT	2002/02/21
		"3816879" "3983603" "4001898"		15:16
		"4003106" "4240183" "4263697"		
		"4347648" "4680836" "4688302"		
		"4728064" "4754529" "4951362"		
		"5135188" "5154376" "5685048").PN.		
-	0	6105210.URPN.	USPAT	2002/02/21
	<u> </u>			15:17



2.
"4347648" "4680836" "4688302" "4728064" "4754529" "4951362" "5135188" "5154376").PN. 13 ("3537146" "3761999" "3872547" "3967345" "3973293" "4136148" "4214349" "441380" "4688302" "4735387" "4875647" "4955913" "4978091").PN. 12 5267373.URPN. 13 ("2888729" "3102311" "3149808" "3186047" "3483427" "3654669" "3872547".PN. 14 ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 1
"4728064" "4754529" "4951362" "5135188" "5154376").PN. ("3537146" "3761999" "3872547" "3967345" "3973293" "4136148" "4214349" "4413380" "4688302" "4735387" "4875647" "4955913" "4978091").PN. 12 5267373.URPN. 13 ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 44 (((cable bag) near3 tie) same (weak weaker strong stronger) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 45 (((cable bag) near3 tie) same (weak weaker strong stronger) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 46 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
"5135188" "5154376").PN. ("3537146" "3761999" "3872547" 15:18 "3967345" "3973293" "4136148" 15:18 "4214349" "4413380" "4688302" 14978091").PN. 12 5267373.URPN. 13 ("2888729" "3102311" "3149808" 2002/02/21 "3186047" "3463427" "3654669" 2002/02/21 "3872547").PN. 14 ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 1
- 13 ("3537146" "3761999" "3872547"
"3967345" "3973293" "4136148" "4214349" "4413380" "4688302" "4735387" "4875647" "4955913" "4978091").PN. 12 5267373.URPN. 13 ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
"4214349" "4413380" "4688302" "4735387" "4875647" "4955913" "4978091").PN. 12 5267373.URPN. 13 5267373.URPN. 14 ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. 15 ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 14 ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc.
"4735387" "4875647" "4955913" "4978091").PN. 12 5267373.URPN. To ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 44 ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc.
- "4978091").PN. 5267373.URPN. 7 ("2888729" "3102311" "3149808" USPAT 2002/02/21 15:19 2002/02/21 15:20 330 ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 44 ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
- 12 5267373.URPN. USPAT 2002/02/21 15:19 - 7 ("2888729" "3102311" "3149808" USPAT 2002/02/21 15:19 - 3186047" "3463427" "3654669" USPAT 2002/02/21 15:20 - 330 ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) - 262 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
15:19 7 ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc.
- ("2888729" "3102311" "3149808" "3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc.
"3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. 15:20 15:20 15:20 15:20 15:20 15:20 15:20 15:20 15:20 15:32 USPAT; US-PGPUB 15:32 US-PGPUB 15:32 US-PGPUB 15:32 US-PGPUB 15:24
"3186047" "3463427" "3654669" "3872547").PN. ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. 15:20 15:20 15:20 15:20 15:20 15:20 15:32 USPAT; US-PGPUB 15:32 15:24
"3872547").PN. ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
- 330 ((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress) - 262 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
strong stronger tensile strength stress) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc.
- 262 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc.
strong stronger tensile strength stress)) not ((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc. 15:24 US-PGPUB 15:24
((((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) (((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
248/74.3.ccls. 292/318-322,325.ccls.) and (weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
(weak weaker strong stronger)) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
248/74.3.ccls. 292/318-322,325.ccls.) and (tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
(tensile strength stress))) ((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. (tensile strength stress)) (DERWENT 15:30
((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls. 248/74.3.ccls. 292/318-322,325.ccls.) and neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; 2002/02/21
248/74.3.ccls. 292/318-322,325.ccls.) and neck)) 44 (((cable bag) near3 tle) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; DERWENT 15:30
neck)) - 44 (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. DERWENT 15:30
- (((cable bag) near3 tie) same (weak weaker strong stronger tensile strength stress)) not us.pc. EPO; JPO; 2002/02/21 15:30
strong stronger tensile strength stress)) not us.pc. DERWENT 15:30
us.pc.
- 70 ((cable bag) near3 tle) with neck USPAT; 2002/02/21
US-PGPUB 15:32
- 47 (((cable bag) near3 tie) with neck) not USPAT; 2002/02/21
((((cable bag) near3 tie) same (weak US-PGPUB 15:33
weaker strong stronger tensile strength
stress))
(((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.
248/74.3.ccls. 292/318-322,325.ccls.) and
(weak weaker strong stronger))
((24/16pb,16r,17a,17ap,30.5p.ccls.
((24/16pb,16r,17a,17ap,30.5r,30.5p.ccls.
248/74.3.ccls. 292/318-322,325.ccls.) and
248/74.3.ccis. 292/318-322,325.ccis.) and (tensile strength stress)))
neck))